



Full Reference List

Clinical Study References¹⁻³

1. **Lee P.Y., Evans A.R.** Early Failure of the Polarstem Total Hip Arthroplasty-Can The Australian NJR Tell Us The Full Story? *The Journal of arthroplasty*. Aug 28 2013(0).
2. **Heyse T.J., Efe T., Baetz J., et al.** No effect of PMMA bone cement on thrombocyte levels after total hip arthroplasty. *Acta orthopaedica Belgica*. Dec 2010;76(6):771-777.
3. **Fiquet A., Noyer D.** "Polarsystem" dual mobility hip prosthesis and "minimally invasive surgery" (MIS). *Interactive Surgery*. 2006;22:1-5.

Other References⁴⁻⁶

4. **Soenen M., Baracchi M., De Corte R., Labey L., Innocenti B.** Stemmed TKA in a Femur With a Total Hip Arthroplasty: Is There a Safe Distance Between the Stem Tips? *The Journal of arthroplasty*. Sep 2013;28(8):1437-1445.
5. **Casartelli N.C., Item-Glatthorn J.F., Bizzini M., Leunig M., Maffioletti N.A.** Differences in gait characteristics between total hip, knee, and ankle arthroplasty patients: a six-month postoperative comparison. *BMC musculoskeletal disorders*. 2013;14(1):176.
6. **Efe T., El Zayat B.F., Heyse T.J., Timmesfeld N., Fuchs-Winkelmann S., Schmitt J.** Precision of preoperative digital templating in total hip arthroplasty. *Acta orthopaedica Belgica*. Oct 2011;77(5):616-621.

[◇]Trademark of Smith & Nephew. Certain marks Reg. US Pat. & TM Office